

EP 27421(1)

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau(43) International Publication Date
7 December 2000 (07.12.2000)

PCT

(10) International Publication Number
WO 00/73949 A1

- (51) International Patent Classification⁷: **G06F 17/60**, 17/28 (74) Agent: **BROPHY, David**; F.R. Kelly & Co., 27 Clyde Road, Ballsbridge, Dublin 4 (IE).
- (21) International Application Number: **PCT/IE99/00048** (81) Designated States (*national*): AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (22) International Filing Date: **31 May 1999 (31.05.1999)**
- (25) Filing Language: **English**
- (26) Publication Language: **English**
- (71) Applicant (*for all designated States except US*): **EU-ROSYMBOL LIMITED [IE/IE]**; Thomson Industrial Centre, Unit 6, Clane Industrial Park, Clane, County Kildare (IE).
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- (72) Inventors; and
- (75) Inventors/Applicants (*for US only*): **BYRNE, Allen** [IE/IE]; Thomson Industrial Centre, Unit 6, Clane Industrial Park, Clane, County Kildare (IE). **JETHWA, Anil** [IE/IE]; Thomson Industrial Centre, Unit 6, Clane Industrial Park, Clane, County Kildare (IE). **SISK, Henry, B.** [IE/IE]; Thomson Industrial Centre, Unit 6, Clane Industrial Park, Clane, County Kildare (IE).
- Published:**
— *With international search report.*
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*



WO 00/73949 A1

(54) Title: **COMPUTER SYSTEM**

(57) Abstract: A computer system including a host application for editing a document and a conversion application, in which the conversion application comprises a class which operates externally of said the application. The class is operable to convert a numerical value of a first measurement unit to a corresponding numerical value of a second measurement unit by reference to a stored conversion relationship between the first and second measurement units. An interface means is provided for interacting with the host application to: i) find all occurrences in the document of any numerical value of the first measurement unit; ii) present each such value to the class for conversion to the corresponding numerical value of the second measurement unit; iii) receive the corresponding numerical value of the second measurement unit from the class; and iv) insert into the document the corresponding numerical value of the second measurement unit by replacing the original value and its measurement unit with the corresponding numerical value, or appending the corresponding numerical value to the original value and its measurement unit.

BEST AVAILABLE COPY

COMPUTER SYSTEM

This invention relates to a computer system, in particular, but not exclusively, for allowing conversion of local country
5 currency values to the corresponding Euro currency values.

The invention provides a computer system including a host application for editing a document and a conversion application, said conversion application comprising:

10 a class which operates externally of said host application, said class being operable to convert a numerical value of a first measurement unit to a corresponding numerical value of a second measurement unit by reference to a stored conversion relationship between said first and
15 second measurement units; and

interface means for interacting with said host application to:

- i) find all occurrences in said document of any numerical value of said first measurement unit;
- 20 ii) present each such value to said class for conversion to the corresponding numerical value of the second measurement unit;
- iii) receive the corresponding numerical value of the second measurement unit from the class; and
- 25 iv) insert into said document said corresponding numerical value of the second measurement unit by replacing the original value and its measurement unit with the corresponding numerical value, or appending the corresponding numerical value to the original
30 value and its measurement unit.

Preferably both the first and second numerical measurement units are user-selectable from a pre-defined list. In an embodiment of the invention the first and second numerical measurement units are currency units, the second currency unit preferably being the Euro. Suitably, said pre-defined list is generated from a configuration file provided on the computer system.

Preferably, the conversion relationship between said first and second measurement units is stored in a data file accessible by the class. Further, preferably, the data file includes a plurality of conversion relationships between different measurement units. Most preferably, said conversion relationships between different measurement units are stored as conversion relationships between the individual units and a base unit, and the class calculates the corresponding numerical value by triangulation.

In preferred embodiments, the system further comprises means for updating said data file and/or said configuration file to correspond to a data file and/or a configuration file held on a central server.

Embodiments of the invention will now be described, by way of example, with reference to the accompanying drawings, in which:

Fig. 1 is a block schematic diagram of a stand-alone computer system embodying the invention for performing a currency conversion function;

Fig. 2 is a diagram illustrating the executable and data files on the system of Fig. 1 relevant to the present embodiment;

Fig. 3 shows a window presented to the user in use of the system of Fig. 1; and

Fig. 4 is a diagram, equivalent to that of Fig. 2, of a
5 second embodiment of the invention in a client/server environment.

Referring to Figs. 1 and 2, the embodiment of the invention there shown comprises a stand-alone computer system 10, such
10 as an IBM-compatible personal computer (PC), running the Windows 97 operating system (Windows 97 is a Trade Mark). In this embodiment the invention is used within a word processing application 12 loaded on the PC 10, in this case Microsoft Word 97 (Microsoft Word 97 is a Trade Mark).

15 The system 10 further includes a currency conversion application (EuroSymbol.exe) 14, data files (EuroSymbol.dat, EuroSymbol.cfg) 16, 18 holding currency and configuration data respectively, and a system configuration and currency
20 update program (EuroCfg.exe) 18.

The system also includes an MS Word 97 template file (Euro.dot, not shown). This template puts a "Euro" button between the "File" and "Edit" buttons on the Word toolbar,
25 and also includes a macro to call the application 14 when the Euro button is selected. In this template a key combination, e.g. Alt+u, is also associated with the macro to call the application 14.

30 In order to use the currency conversion function, a user first inserts, or converts, his MS Word file into the Euro.dot template. He then clicks on the Euro button on the toolbar, or types the appropriate key combination, to call the application 14, which presents to the user the
35 "EuroConverter" window seen in Fig. 3. This window generally follows the normal conventions for find-and-replace windows.

in MS Word 97. The window includes a first drop down list 22 for selecting a currency unit the user wishes to convert from (the "from" currency unit), a second drop down list 24 for selecting a currency unit the user wishes to convert to (the "to" currency unit), a third drop down list 26 enabling the user to select Append or Replace mode, and action buttons 40-46 providing the functions Find Next, Cancel, Append (or Replace if replace is selected in drop down list 26) and Append All (or Replace All if replace is selected in drop down list 26).

The default values in the windows 22, 24 and 26 are determined by the EuroSymbol.cfg configuration file 18. Normally, it is expected that the default "from" currency unit will be the local country currency unit, for example Irish Pounds IR£, and the default "to" currency unit will be the Euro. There is also an Update Data button 30 whose function will be described later.

When the user has selected the "from" currency unit in list 22 and the "to" currency unit in list 24, and when he has selected the desired mode, Append or Replace, in list 26, he clicks the Find Next button 40. In response, the application 14 searches the document to find the (next) occurrence of the "from" currency unit. When found, the user may choose to skip over that value, by clicking on the button 40 once again, or click on the button 44. In response to the latter, the application reads the associated currency value and accesses the EuroSymbol.dat currency data file 16 to determine the appropriate conversion rate between the "from" and "to" currency units.

The EuroSymbol.dat file contains the allowed currencies (i.e. those selectable in the drop down lists 22, 24) and the appropriate conversion rates between them. In the file EuroSymbol.dat each currency unit is identified as a text

string (e.g. IR£) or special font character (e.g. the Euro symbol €), depending on whether the "from" currency unit is identified by a text string or special font character in the find-and-replace window, Fig. 3. On finding this text string or font character, the application 14 automatically calculates the new currency value.

Depending on whether Append or Replace is selected in drop down list 26, the converted currency (both value and currency unit identifier) is appended in brackets to the original currency, or completely replaces the original entry in the document. Thus, for example, for an assumed conversion rate of 1.5 US dollars to the Irish Pound, in the case of a replace "IR£100" would become "US\$150" while in the case of an append "IR£100" would become "IR£100 (US\$150)".

Instead of clicking on the button 44 the user may alternatively click on the Replace (or Append) All button 46, in which case all occurrences of values of the "from" currency unit are replaced or appended in one operation by the application 14. Finally, when all desired values are converted, the user may close the application 14 by clicking on the Cancel button 42.

The currency conversion application EuroSymbol.exe comprises a class which operates externally of the host application (in this case Microsoft Word). In terms of object-oriented programming, a class is a template defining the methods and variables which are included in particular types of object (an object being a software package containing data and a collection of related procedures or methods which operate on the data).

Therefore, in the class used in the described embodiment, the variables include "name" (the currency name), "rate" (the numerical factor stored in EuroSymbol.dat linking the

particular currency with a base unit), "symbol" (the text symbol(s) associated with the currency in question), "amount" (the numerical value) etc. and the methods include triangulation conversion, text parsing, and formatting, etc.
5 (referred to below).

In alternative embodiments, such as for metric-imperial conversion engines, the methods might additionally include determination of whether the selected "from" and "to" units
10 are dimensionally equivalent, or this could be stored in the variables, in that the unit "metres" might have an associated stored list of compatible units (e.g. inches, yards, miles) so that the user is not given the option of converting to an incompatible unit such as ounces.

15
The class or "conversion engine" works on pure numbers which it parses from the text of a file. The text of the file is fed to the conversion engine by an interface means designed specifically for interfacing between the Application and the
20 conversion engine. By designing a series of different interface modules, the same conversion engine can work within a range of applications which edit documents, or it can operate as part of a stand-alone utility such as a desktop conversion calculator, etc. The interface means may include
25 filters which only extract numbers and the associated unit data, and it also provides the graphical user interface. In the example of Microsoft Word, this interface has been designed as a dialogue box having the same appearance and functionality of the integral "Find and Replace" box.

30
Typically, the interface means will extract the numerical values and associated text labels and symbols, and feed these to the conversion class which uses text parsing to extract floating values and separate numerical values from symbols
35 and unit identifiers. 'Format Information' is another of the features of the class which helps in interpretation of number

formats such as decimal and thousands separator symbols. The 'Format Information' is also used to format the output using the user preferences and instructions from the user interface. The outputted numbers are fed back to the interface means which inserts them into the document as replacements or appendices as appropriate.

The EuroCfg.exe program 20 provides an interface which allows the user to modify the currency and configuration files 16, 18. Using a window with drop down lists and text entry windows, this program allows the user to modify the list of "from" and "to" currencies available for conversion, to update the conversion rates in the EuroSymbol.dat data file, and to modify the default settings in the find-and-replace window, Fig. 3. The EuroCfg.exe program also has access to, and can modify if desired, a configuration startup information file 32, EuroSymbol.sin, which contains a list of directory paths which allows the application 14 to know where it and its dependent data files are located.

Figs. 4 illustrates an embodiment of the invention incorporated in a multi-user, or client/server, system, as distinct from a stand-alone single user system. In this embodiment the EuroSymbol.cfg and EuroSymbol.dat data files are replaced on a system level by EuroSymbol.scf and EuroSymbol.sdt data files 34 and 36 respectively. These system files contain the same data as the corresponding .cfg and .dat files in the first embodiment, and are installed in a secure location on the server system. When a given user on the system, running Windows 97 with MS Word 97 on his local machine, wants to make use of the currency conversion function, these system files are initially copied from their location on the server system to a location on the users own machine and, subject to their having a later time and date as described below, are stored thereon as .cfg and .dat files.

On the local machine the operation of the currency conversion function is then as described previously.

5 The .scf and .sdt data files 34, 36 each have a record of the time and date of when they were last updated. In principle on a large system for financial use, the exchange rates for the different currencies would be updated at least once a day. Hence the file EuroSymbol.sdt would be updated quite regularly. This would be done by the system supervisor, or
10 whoever had access to this file, by editing this file using EuroCfg.exe 20. The system supervisor may also wish to update the .scf file from time to time.

On using the currency converter function the user will want
15 to use the latest conversion factors and configuration data. Thus, when the application 14 is initially called from MS Word, it automatically copies over the system .scf and .sdt files 34, 36 to the same named files on the users local machine (not at this point directly to the local .cfg and
20 .dat files). It then compares the dates of the .sdt and .dat files with the dates of the .cfg and .scf already on the local machine from the previous use. If the local .cfg or .dat file is older than the copied system file .scf or .sdt respectively, then the local file is overwritten with the
25 corresponding system file, the .scf extension being changed to .cfg or .sdt to .dat, as the case may be, and the new update time entered in this file. If the local file is not older, then there is no such overwriting.

30 A user may also request his local .cfg and .dat files 16, 18 to be updated at any time by clicking on the Update Data button 30, Fig. 3 that appears on the pop-up-menu illustrated in figure 1. This causes the application 14 to copy down the system .scf and .sdt files, compare them with the local .cfg
35 and .dat files respectively, and overwrite the latter if older, as described above.

- Although the above has described embodiments of the invention which is used for the conversion of currencies, the invention may also be used to convert the numerical values of any
- 5 measurement unit, such as US Gallons, to the corresponding numerical values of a second measurement unit, such as Litres, and for replacing or appending the converted value and its measurement unit relative to the original value.
- 10 The invention is not limited to the embodiment described herein which may be modified or varied without departing from the scope of the invention.

CLAIMS:

1. A computer system including a host application for editing a document and a conversion application, said
5 conversion application comprising:

a class which operates externally of said host application, said class being operable to convert a numerical value of a first measurement unit to a corresponding numerical value of a second measurement unit by reference to
10 a stored conversion relationship between said first and second measurement units; and

interface means for interacting with said host application to:

i) find all occurrences in said document of any
15 numerical value of said first measurement unit;

ii) present each such value to said class for conversion to the corresponding numerical value of the second measurement unit;

iii) receive the corresponding numerical value of the
20 second measurement unit from the class; and

iv) insert into said document said corresponding numerical value of the second measurement unit by replacing the original value and its measurement unit with the corresponding numerical value, or appending
25 the corresponding numerical value to the original value and its measurement unit.

2. A computer system according to Claim 1, wherein both the first and second numerical measurement units are user-
30 selectable from a pre-defined list.

3. A computer system according to Claim 1 or 2, wherein the first and second numerical measurement units are monetary

units, currency units, or units of measurement of first and second mensuration systems, said systems being selected from the SI system, the Imperial system and the c.g.s. system.

- 5 6. A computer system according to any preceding claim, wherein the conversion relationship between said first and second measurement units is stored in a data file accessible by the class.
- 10 7. A computer system according to Claim 6, wherein the data file includes a plurality of conversion relationships between different measurement units.
- 15 8. A computer system according to Claim 7, wherein said conversion relationships between different measurement units are stored as conversion relationships between the individual units and a base unit, and the class calculates the corresponding numerical value by triangulation.
- 20 9. A computer system according to Claim 2 or any claim dependent thereon, wherein said pre-defined list is generated from a configuration file provided on the computer system.
- 25 10. A computer system according to Claim 6 or any claim dependent thereon, further comprising means for updating said data file and/or said configuration file to correspond to a data file and/or a configuration file held on a central server.
- 30 11. A computer system according to Claim 10, wherein said updating means can be actuated on command from a user of said computer system.
- 35 12. A computer system according to Claim 10 or 11, wherein said updating means is automatically actuated at least once in every user session in which said system is operated.




FIG. 1




FIG. 2




FIG. 3




FIG. 4

INTERNATIONAL SEARCH REPORT

In. national Application No

PCT/IE 99/00048

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 G06F17/60 G06F17/28

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 G06F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 077 804 A (RICHARD DANIEL D) 31 December 1991 (1991-12-31) column 2, line 60 -column 4, line 14; figures 4,5 column 6, line 30 -column 14, line 44	1-3,6-12
X	EP 0 668 558 A (SUN MICROSYSTEMS INC) 23 August 1995 (1995-08-23) column 1, line 42 -column 2, line 38 column 7, line 29 -column 10, line 15	1-3,6-9
A	-/-	10-12

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

7 April 2000

Date of mailing of the international search report

25/04/2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Bowler, A

INTERNATIONAL SEARCH REPORT

International Application No

PCT/IE 99/00048

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>"ELECTRONIC PURSE CURRENCY CONVERSION" IBM TECHNICAL DISCLOSURE BULLETIN, US, IBM CORP. NEW YORK, vol. 40, no. 11, 1 November 1997 (1997-11-01), page 137 XP000739948 ISSN: 0018-8689 abstract</p>	1
A	<p>DATABASE INTERNET 'Online! www.oanda.com OANDA Currency Converter, XP002135094 page 1-2</p>	1
E	<p>WO 99 50776 A (NEMZOW MARTIN A) 7 October 1999 (1999-10-07) page 8, line 35 -page 14, line 34</p>	1-3,6-12

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/IE 99/00048

Patent document cited in search report		Publication date	Patent family member(s)		Publication date
US 5077804	A	31-12-1991	AU	8910591 A	20-05-1992
			CA	2094281 A	17-04-1992
			EP	0553304 A	04-08-1993
			WO	9207330 A	30-04-1992
EP 0668558	A	23-08-1995	JP	8006781 A	12-01-1996
			US	5664206 A	02-09-1997
WO 9950776	A	07-10-1999	AU	3457399 A	18-10-1999

CORRECTED VERSION

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
7 December 2000 (07.12.2000)


PCT

(10) International Publication Number
WO 00/73949 A1

- (51) International Patent Classification⁷: **G06F 17/60, 17/28**
- (21) International Application Number: **PCT/IE99/00048**
- (22) International Filing Date: **31 May 1999 (31.05.1999)**
- (25) Filing Language: **English**
- (26) Publication Language: **English**
- (71) Applicant (for all designated States except US): **EUROSYMBOL LIMITED [IE/IE]**; Thomson Industrial Centre, Unit 6, Clane Industrial Park, Clane, County Kildare (IE).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): **BYRNE, Allen [IE/IE]**; Thomson Industrial Centre, Unit 6, Clane Industrial Park, Clane, County Kildare (IE). **JETHWA, Anil [IE/IE]**; Thomson Industrial Centre, Unit 6, Clane Industrial Park, Clane, County Kildare (IE). **SISK, Henry,**
- B. [IE/IE]**; Thomson Industrial Centre, Unit 6, Clane Industrial Park, Clane, County Kildare (IE).
- (74) Agent: **BROPHY, David**; F.R. Kelly & Co., 27 Clyde Road, Ballsbridge, Dublin 4 (IE).
- (81) Designated States (national): **AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW.**
- (84) Designated States (regional): **ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).**
- Published:
— With international search report.

[Continued on next page]

(54) Title: **COMPUTER SYSTEM**



(57) Abstract: A computer system including a host application for editing a document and a conversion application, in which the conversion application comprises a class which operates externally of said the application. The class is operable to convert a numerical value of a first measurement unit to a corresponding numerical value of a second measurement unit by reference to a stored conversion relationship between the first and second measurement units. An interface means is provided for interacting with the host application to: i) find all occurrences in the document of any numerical value of the first measurement unit; ii) present each such value to the class for conversion to the corresponding numerical value of the second measurement unit; iii) receive the corresponding numerical value of the second measurement unit by replacing the original value and its measurement unit with the corresponding numerical value, or appending the corresponding numerical value to the original value and its measurement unit.

WO 00/73949 A1

WO 00/73949 A1



(48) Date of publication of this corrected version:

8 February 2001

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(15) Information about Correction:

see PCT Gazette No. 06/2001 of 8 February 2001, Section II

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☒ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.